## Questions to Ask to Determine CAA 112(r) Applicability

12 11/1/20
Inspector Name(s) 132 M (Arthur Inspection Date
State ID Number CBK 800030180 EPA ID Number
Facility Address 12 Holder Road
Contact Name Peter Verbrugge Contact Number 509-877-4188
Contact E-mail Contact Fax 509-477-2883
Contact Address
Do you know whether or not you are subject to 112(r)? YES NO
Y Are you subject to 112(r)? YES NO
Y Have you submitted a Risk Management Plan (RMP)? YES NO
(Due 6/21/99 - Get a copy of signed certification transmittal letter, and a
copy of letter from RMP Reporting Center acknowledging receipt.)
N If RMP has not been submitted, when do you expect to submit it?
N Did you receive a notice from EPA or the state regarding
112(r) applicability? YES NO
N Does the facility handle any substances (toxic or flammable materials) on the 112(r) list? YES NO
Y Is the substance pure? YES NO
Y Is the quantity GT the threshold quantity for that substance? YES NO
N Is Ammonia (GT than 20%), Hydrochloric Acid (GT than 37%), Hydrogen Fluoride (GT than 50%) or Nitric Acid (GT than 80%)? YES NO
Y Is the quantity GT the threshold quantity for that substance? YES NO
N Is the substance listed as a toxic? YES NO
Y Is the substance GT 1% of the weight of the mixture? YES NO
Y Is the partial pressure of the substance in the mixture GT 10 mm Hg? YES NO
Y Is the weight of the substance in the mixture GT the threshold quantity for that substance? YES NO
N If a flammable, is it GT 1% (by weight) of the mixture? YES NO

Y Does the entire mixture meet the NFPA 4 criteria? YES NO

Y Is the entire weight of the mixture GT 10,000 lbs? YES NO

Y Is the mixture used as fuel, stored for use as fuel, or held for sale as fuel at a retail facility? YES NO

V18/00 Called Peter back, left message. Sheri had talked to him earlier:
1/18/00 Ke calls me back ammonia—
-says falls under /ew
-don't know how much, gave it to Sheri
-27,000 ~ 28,000 lbs.
-developing RMP

<sup>&</sup>lt;sup>1</sup>If the answer is "Yes," then they are exempt, if "No," then they are covered.